#### => d his ful

(FILE 'HOME' ENTERED AT 12:45:31 ON 03 JAN 2006)

```
FILE 'REGISTRY' ENTERED AT 12:45:36 ON 03 JAN 2006
               STR
L1
L2
             3 SEA SSS SAM L1
           103 SEA SSS FUL L1
L3
L4
               STR
             0 SEA SSS SAM L4
L5
L6
            16 SEA SSS FUL L4
L7
               STR
             0 SEA SSS SAM L7
L8
            13 SEA SSS FUL L7
L9
L10
               STR
             1 SEA SSS SAM L10
L11
               D SCA
            49 SEA SSS FUL L10
L12
               STR
L13
             5 SEA SSS SAM L13
L14
             88 SEA SSS FUL L13
L15
L16
               STR L13
            77 SEA SUB=L15 SSS FUL L16
L17
    FILE 'HCAPLUS' ENTERED AT 12:57:56 ON 03 JAN 2006
L18
            28 SEA ABB=ON PLU=ON L3
            91 SEA ABB=ON PLU=ON L6
L19
            25 SEA ABB=ON PLU=ON L9
L20
            54 SEA ABB=ON PLU=ON L12
L21
           607 SEA ABB=ON PLU=ON L17
L22
               E IBS/CT
               E IRRITABLE BOW/CT
               E E5+ALL
               E E2+ALL
             O SEA ABB=ON PLU=ON "INTESTINE, DISEASE (L) IRRITABLE BOWEL"+PF
L23
               T/CT
L24
             O SEA ABB=ON PLU=ON "INTESTINE, DISEASE (L) IRRITABLE BOWEL"+PF
               T,NT/CT
             O SEA ABB=ON PLU=ON "INTESTINE, DISEASE (L) IRRITABLE BOWEL"+OL
L25
               D,UF/CT
             O SEA ABB=ON PLU=ON "INTESTINE, DISEASE (L) IRRITABLE BOWEL"+PF
L26
               T/CT
L27
           1734 SEA ABB=ON PLU=ON "INTESTINE, DISEASE (L) IRRITABLE BOWEL
               SYNDROME"+PFT/CT
L28
           2695 SEA ABB=ON PLU=ON L27 OR IBS OR IRRIT? (3A) BOWEL?
L29
            17 SEA ABB=ON PLU=ON L28 AND (L3 OR L6 OR L9 OR L12 OR L17)
     FILE 'MEDLINE' ENTERED AT 13:02:14 ON 03 JAN 2006
                E IBS/CT
                E IRRITABLE BOW/CT
               E E5+ALL
L30
           680 SEA ABB=ON PLU=ON "IRRITABLE BOWEL SYNDROME"+PFT/CT
           4368 SEA ABB=ON PLU=ON L30 OR IBS OR IRRIT? (3A) BOWEL?
L31
             2 SEA ABB=ON PLU=ON L31 AND (L3 OR L6 OR L9 OR L12 OR L17)
L32
     FILE 'EMBASE' ENTERED AT 13:03:22 ON 03 JAN 2006
               E IRRITABLE BOW/CT
```

E E8+ALL E E2+ALL

01/03/2006

```
L33 5004 SEA ABB=ON PLU=ON IRRITABLE COLON+PFT/CT
L34 5821 SEA ABB=ON PLU=ON L33 OR IBS OR IRRIT?(3A)BOWEL?
L35 21 SEA ABB=ON PLU=ON L34 AND (L3 OR L6 OR L9 OR L12 OR L17)
```

FILE 'USPATFULL, USPAT2' ENTERED AT 13:04:27 ON 03 JAN 2006
L36 27 SEA ABB=ON PLU=ON (IBS OR IRRIT?(3A) BOWEL?) AND (L3 OR L6
OR L9 OR L12 OR L17)

FILE 'STNGUIDE' ENTERED AT 13:05:06 ON 03 JAN 2006

#### FILE HOME

#### FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 2 JAN 2006 HIGHEST RN 870976-29-7 DICTIONARY FILE UPDATES: 2 JAN 2006 HIGHEST RN 870976-29-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

## FILE HCAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 Jan 2006 VOL 144 ISS 2



FILE LAST UPDATED: 2 Jan 2006 (20060102/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

## FILE MEDLINE

FILE LAST UPDATED: 31 DEC 2005 (20051231/UP). FILE COVERS 1950 TO DATE.

On December 11, 2005, the 2006 MeSH terms were loaded.

The MEDLINE reload for 2006 will soon be available. For details on the 2005 reload, enter HELP RLOAD at an arrow promt (=>). See also:

http://www.nlm.nih.gov/mesh/http://www.nlm.nih.gov/pubs/techbull/nd04/nd04\_mesh.htmlhttp://www.nlm.nih.gov/pubs/techbull/nd05/nd05\_med\_data\_changes.htmlhttp://www.nlm.nih.gov/pubs/techbull/nd05/nd05\_2006\_MeSH.html

OLDMEDLINE is covered back to 1950.

MEDLINE thesauri in the /CN, /CT, and /MN fields incorporate the MeSH 2006 vocabulary.

This file contains CAS Registry Numbers for easy and accurate

## FILE EMBASE

FILE COVERS 1974 TO 29 Dec 2005 (20051229/ED)

EMBASE has been reloaded. Enter HELP RLOAD for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

# FILE USPATFULL

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 29 Dec 2005 (20051229/PD)
FILE LAST UPDATED: 29 Dec 2005 (20051229/ED)
HIGHEST GRANTED PATENT NUMBER: US6981281
HIGHEST APPLICATION PUBLICATION NUMBER: US2005289677
CA INDEXING IS CURRENT THROUGH 29 Dec 2005 (20051229/UPCA)
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 29 Dec 2005 (20051229/PD)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Oct 2005
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Oct 2005

```
>>> USPAT2 is now available. USPATFULL contains full text of the
                                                                      <<<
    original, i.e., the earliest published granted patents or
                                                                      <<<
>>>
    applications. USPAT2 contains full text of the latest US
>>>
                                                                      <<<
    publications, starting in 2001, for the inventions covered in
                                                                      <<<
>>>
    USPATFULL. A USPATFULL record contains not only the original
                                                                      <<<
>>>
    published document but also a list of any subsequent
>>>
                                                                      <<<
    publications. The publication number, patent kind code, and
>>>
                                                                      <<<
>>>
    publication date for all the US publications for an invention
                                                                      <<<
>>> are displayed in the PI (Patent Information) field of USPATFULL
                                                                      <<<
>>> records and may be searched in standard search fields, e.g., /PN, <<<
>>> /PK, etc.
                                                                       <<<
```

>>> USPATFULL and USPAT2 can be accessed and searched together

<<<



01/03/2006

## Spivack 10/823,194

>>> through the new cluster USPATALL. Type FILE USPATALL to
>>> enter this cluster.
>>>
 Use USPATALL when searching terms such as patent assignees,
>>> classifications, or claims, that may potentially change from
>>> the earliest to the latest publication.

This file contains CAS Registry Numbers for easy and accurate substance identification.

## FILE USPAT2

FILE COVERS 2001 TO PUBLICATION DATE: 29 Dec 2005 (20051229/PD)
FILE LAST UPDATED: 29 Dec 2005 (20051229/ED)
HIGHEST GRANTED PATENT NUMBER: US2004267271
HIGHEST APPLICATION PUBLICATION NUMBER: US2005289660
CA INDEXING IS CURRENT THROUGH 29 Dec 2005 (20051229/UPCA)
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 29 Dec 2005 (20051229/PD)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Oct 2005
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Oct 2005

USPAT2 is a companion file to USPATFULL. USPAT2 contains full text of the latest US publications, starting in 2001, for the inventions covered in USPATFULL. USPATFULL contains full text of the original published US patents from 1971 to date and the original applications from 2001. In addition, a USPATFULL record for an invention contains a complete list of publications that may be searched in standard search fields, e.g., /PN, /PK, etc.

USPATFULL and USPAT2 can be accessed and searched together through the new cluster USPATALL. Type FILE USPATALL to enter this cluster.

Use USPATALL when searching terms such as patent assignees, classifications, or claims, that may potentially change from the earliest to the latest publication.

FILE STNGUIDE
FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Dec 30, 2005 (20051230/UP).

# => fil hcap

FILE 'HCAPLUS' ENTERED AT 13:05:18 ON 03 JAN 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.


FILE COVERS 1907 - 3 Jan 2006 VOL 144 ISS 2 FILE LAST UPDATED: 2 Jan 2006 (20060102/ED)



New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d que stat 129 L1 STF



NODE ATTRIBUTES:

CHARGE IS \*+ AT 16

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:


RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 16

STEREO ATTRIBUTES: NONE

L3 103 SEA FILE=REGISTRY SSS FUL L1

L4 STR



NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED


GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 32

STEREO ATTRIBUTES: NONE

L6 16 SEA FILE=REGISTRY SSS FUL L4 L7 STR



NODE ATTRIBUTES: DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 32

STEREO ATTRIBUTES: NONE

L9 13 SEA FILE=REGISTRY SSS FUL L7

L10 STR

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:


RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 27

STEREO ATTRIBUTES: NONE

L12 49 SEA FILE=REGISTRY SSS FUL L10

L13 STR



DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 24

STEREO ATTRIBUTES: NONE

L15 88 SEA FILE=REGISTRY SSS FUL L13 L16 STR

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 24

STEREO ATTRIBUTES: NONE

L17 77 SEA FILE=REGISTRY SUB=L15 SSS FUL L16

L27 1734 SEA FILE=HCAPLUS ABB=ON PLU=ON "INTESTINE, DISEASE (L) IRRITABLE BOWEL SYNDROME"+PFT/CT

L28 2695 SEA FILE=HCAPLUS ABB=ON PLU=ON L27 OR IBS OR IRRIT? (3A) BOWEL?

L29 17 SEA FILE=HCAPLUS ABB=ON PLU=ON L28 AND (L3 OR L6 OR L9 OR L12 OR L17)

=> fil medline

FILE 'MEDLINE' ENTERED AT 13:05:25 ON 03 JAN 2006

FILE LAST UPDATED: 31 DEC 2005 (20051231/UP). FILE COVERS 1950 TO DATE.

On December 11, 2005, the 2006 MeSH terms were loaded.

The MEDLINE reload for 2006 will soon be available. For details on the 2005 reload, enter HELP RLOAD at an arrow promt (=>). See also:

http://www.nlm.nih.gov/mesh/

http://www.nlm.nih.gov/pubs/techbull/nd04/nd04 mesh.html

http://www.nlm.nih.gov/pubs/techbull/nd05/nd05\_med\_data\_changes.html


http://www.nlm.nih.gov/pubs/techbull/nd05/nd05\_2006\_MeSH.html

OLDMEDLINE is covered back to 1950.

MEDLINE thesauri in the /CN, /CT, and /MN fields incorporate the MeSH 2006 vocabulary.

This file contains CAS Registry Numbers for easy and accurate

=> d que stat 132 L1 STF



NODE ATTRIBUTES:

CHARGE IS \*+ AT 16 DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 16

STEREO ATTRIBUTES: NONE

L3 103 SEA FILE=REGISTRY SSS FUL L1

L4

STR

NODE ATTRIBUTES:


DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

**GRAPH ATTRIBUTES:** 

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 32

STEREO ATTRIBUTES: NONE

L6 16 SEA FILE=REGISTRY SSS FUL L4
L7 STR



NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

**GRAPH ATTRIBUTES:** 


RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 32

STEREO ATTRIBUTES: NONE

L9 13 SEA FILE=REGISTRY SSS FUL L7

L10 ST




NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES: RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 27

STEREO ATTRIBUTES: NONE

L12 49 SEA FILE=REGISTRY SSS FUL L10 L13 STR




NODE ATTRIBUTES: DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES: RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 24

STEREO ATTRIBUTES: NONE

L15 88 SEA FILE=REGISTRY SSS FUL L13

L16 STR



DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

**GRAPH ATTRIBUTES:** 

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 24

STEREO ATTRIBUTES: NONE

L17 77 SEA FILE=REGISTRY SUB=L15 SSS FUL L16

L30 680 SEA FILE=MEDLINE ABB=ON PLU=ON "IRRITABLE BOWEL SYNDROME"+PFT

/CT

L31 4368 SEA FILE=MEDLINE ABB=ON PLU=ON L30 OR IBS OR IRRIT? (3A) BOWEL?

L32 2 SEA FILE=MEDLINE ABB=ON PLU=ON L31 AND (L3 OR L6 OR L9 OR

L12 OR L17)

=> fil embase

FILE 'EMBASE' ENTERED AT 13:05:32 ON 03 JAN 2006 Copyright (c) 2006 Elsevier B.V. All rights reserved.


FILE COVERS 1974 TO 29 Dec 2005 (20051229/ED)

EMBASE has been reloaded. Enter HELP RLOAD for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d que stat 135

L1 STR




CHARGE IS \*+ AT 16
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 16

STEREO ATTRIBUTES: NONE

L3 103 SEA FILE=REGISTRY SSS FUL L1 L4 STR



NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED


GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 32

STEREO ATTRIBUTES: NONE

L6 16 SEA FILE=REGISTRY SSS FUL L4

L7 STR



DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:


RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 32

STEREO ATTRIBUTES: NONE

L9 13 SEA FILE=REGISTRY SSS FUL L7

L10 STR



NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 27

STEREO ATTRIBUTES: NONE

L12 49 SEA FILE=REGISTRY SSS FUL L10

L13 STR

DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 24

STEREO ATTRIBUTES: NONE

L15 88 SEA FILE=REGISTRY SSS FUL L13

L16 STR

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 24

STEREO ATTRIBUTES: NONE

77 SEA FILE=REGISTRY SUB=L15 SSS FUL L16 L17

5004 SEA FILE=EMBASE ABB=ON PLU=ON IRRITABLE COLON+PFT/CT L33

5821 SEA FILE=EMBASE ABB=ON PLU=ON L33 OR IBS OR IRRIT? (3A) BOWEL? L34


L35

21 SEA FILE=EMBASE ABB=ON PLU=ON L34 AND (L3 OR L6 OR L9 OR L12 OR L17)

=> fil uspatall FILE 'USPATFULL' ENTERED AT 13:05:42 ON 03 JAN 2006 CA INDEXING COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 13:05:42 ON 03 JAN 2006 CA INDEXING COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

=> d que stat 136 L1



NODE ATTRIBUTES:

CHARGE IS \*+ AT 16 DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 16

STEREO ATTRIBUTES: NONE

L3 103 SEA FILE=REGISTRY SSS FUL L1 L4

STR

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED


GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 32

STEREO ATTRIBUTES: NONE

L6 16 SEA FILE=REGISTRY SSS FUL L4 L7 STR



NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:


RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 32

STEREO ATTRIBUTES: NONE

L9 13 SEA FILE=REGISTRY SSS FUL L7

L10 STR



NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES: